

MODEL NO. 60067 Playwheel with Panel Stub

PARTS LIST

DESCRIPTION	No. REQ'D	PART NUMBER
Steering Wheel Ass'y	1	163235
Hardware Complete	1	302429
3/8" Flat Washer	4	817410*
3/8" x 1 3/4" P.B.H.C.S. with Patch	2	812054*
3/8" Lockwasher	2	817334*
3/8" Acorn Nut	2	804002*

**Unless Otherwise Specified, All Units of Measure are Each
*Included in Hardware**

Warning: Small parts and hardware items may present a potential choking hazard. Promptly remove all unused parts from play area. Any bolt end protruding more than two full threads beyond the face of the nut causes risk of clothing entanglement. Promptly cut-off flush, file smooth, and treat to prevent corrosion.

Note: Peen Tee-Nuts and Flatwashers to match radius of pipe after assembly is complete.

Note: Loctite (supplied by others) should be used on any non-patch hardware.

SPECIFICATIONS:

Steering Wheel is molded of a durable proprietary plastic and shall withstand an impact of over 250 foot-pounds. A grease impregnated bronze bushing is pressed into the shaft to provide smooth turning. The steering wheel mounting bracket is formed of 3/16" thick steel and has a powder coat finish.

Primary hardware is stainless steel.

Weight: 3 lb. / 1.3 kg

INSTALLATION INSTRUCTIONS:


1. Attach Steering Wheel Ass'y to Wall Panel as shown using 3/8" x 1 3/4" P.B.H.C.S. with Patch with 3/8" Flat Washers, 3/8" Lockwashers, and 3/8" Acorn Nuts.

2. When the assembly is finished and satisfactory, Eliminate sharp points and sharp edges (burring) on installed hardware like bolts, nuts, etc. Install resilient surfacing material within the use zone of play structure in accordance with ASTM specifications F1292 appropriate for the fall height of each structure. Refer to the Safe Guidelines.

MAINTENANCE PROCEDURE:

Periodically check hardware for tightness, and tighten as necessary. Always check all parts for breakage or wear, and immediately put equipment out of service until any faulty parts found are repaired or replaced. Also Check all metal parts for rust, paint loss and touch-up if necessary with paint. Check for welded areas and verify integrity. Check periodically resilient surfacing for appropriate depth and remove extraneous materials that could cause injury, infection, or disease. Maintain detailed installation, inspection, maintenance, and repair records for each public-use playground equipment.

MODEL NO. 60067 Playwheel with Panel Stub



ELEVATION VIEW